

FIG. 2(A)




FIG. 2(B)




FIG. 2(C)




FIG. 2(D)




FIG. 2(E)




FIG. 2(F)




FIG. 3(A)




FIG. 3(B)

	A	B	C
PRIMARY MODE RESONANT FREQUENCY	200	100	300
SECONDARY MODE RESONANT FREQUENCY	500	400	600
CHARACTERISTIC PATTERN OF THE INK CARTRIDGE HAVING EACH RESIDUAL QUANTITY OF INK	200:500	100:400	300:600

FIG. 4

5/35




FIG. 5(A)




FIG. 5(B)




FIG. 5(C)




FIG. 6




FIG. 7





FIG. 8






FIG. 10




FIG. 11




FIG. 12

1000




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18(A)




FIG. 18(B)




FIG. 18(C)

FIG. 19(A)




FIG. 19(B)





FIG. 19(C)






FIG. 20

670




FIG. 21 (A)




FIG. 21 (B)




FIG. 22

22/35




FIG. 23






FIG. 24








FIG. 27




FIG. 28(C)

FIG. 28(B)

FIG. 28(A)




FIG. 29




FIG. 30

30/35

180A




FIG. 31 (A)

180B




FIG. 31 (B)

31/35




FIG. 32(A)




FIG. 32(B)

FIG. 32(C)

32/35




FIG. 33(A)




FIG. 33(B)




FIG. 33(C)




FIG. 34(A)




FIG. 34(B)




FIG. 34(C)




FIG. 34(D)

180K




FIG. 35(A)

180L




FIG. 35(B)




FIG. 35(C)




FIG. 36(A)




FIG. 36(B)




FIG. 36(C)




FIG. 36(D)